

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20040105405"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 12:40
S2	20	"5710765"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 13:29
S3	0	("2004/0105405").URPN.	USPAT	OR	ON	2007/04/09 13:27
S4	0	("2004/0105405").URPN.	USPAT	OR	ON	2007/04/09 13:27
S5	0	("2004/0105405").URPN.	USPAT	OR	ON	2007/04/09 13:27
S6	53	(reduce\$3 near3 guard near3 time) and tdma and wireless	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 13:31
S7	40	(reduce\$3 near3 guard near3 time) and tdma and wireless and (@rlad<"200100130" or @ad<"20010130")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 14:49
S8	0	("7031295").URPN.	USPAT	OR	ON	2007/04/09 14:01
S9	0	("7031295").URPN.	USPAT	OR	ON	2007/04/09 14:01
S10	14	("4292683"   "4747160"   "5420851"   "5710765"   "5768254"   "5802046"   "5802061"   "5809431"   "5828695"   "5890055"   "6006069"   "6016311"   "6381226"   "6633559").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 14:01
S11	14	("4292683"   "4747160"   "5420851"   "5710765"   "5768254"   "5802046"   "5802061"   "5809431"   "5828695"   "5890055"   "6006069"   "6016311"   "6381226"   "6633559").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/09 14:04
S12	0	(reduce\$3 near3 guard near3 time) and tdma and wireless and (@rlad<"200100130" or @ad<"20010130")and piconetwork	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 14:42

S13	10	((@rlad<"200100130" or @ad<"20010130")and piconetwork	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:16
S14	9	(produc\$3 near3 guard near3 time) and tdma and wireless and (@rlad<"200100130" or @ad<"20010130")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/04/09 15:59
S15	4	((@rlad<"200100130" or @ad<"20010130")and piconetwork and ((first or second) near5 (data adj burst))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 12:51
S16	637	((@rlad<"200100130" or @ad<"20010130")and ((first or second) near5 (data adj burst))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 12:51
S17	153	((@rlad<"200100130" or @ad<"20010130")and ((first or second) near5 (data adj burst)) and id	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 12:52
S18	114	((@rlad<"200100130" or @ad<"20010130")and ((first or second) near5 (data adj burst)) and id and start	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 12:59
S19	92	((@rlad<"200100130" or @ad<"20010130")and ((second or subsequent) near5 (data adj burst)) and id and start	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:40
S20	31	((@rlad<"200100130" or @ad<"20010130")and ((first and (second or subsequent)) near5 (data adj burst)) and id and (alternate or interleav\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:55
S21	0	((@rlad<"200100130" or @ad<"20010130")and ((first and (second or subsequent)) near5 (data adj burst)) and (alternately or interleav\$3) and piconet	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:56
S22	86	((@rlad<"200100130" or @ad<"20010130")and ((first and (second or subsequent)) near5 (data adj burst)) and (alternately or interleav\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:56
S23	9	((@rlad<"200100130" or @ad<"20010130")and ((first and (second or subsequent)) near5 (data adj burst)) and (alternately or interleav\$3) and train	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:59

S24	8	((@rlad<"200100130" or @ad<"20010130")and ((first and (second or subsequent)) adj5 (data adj burst)) and (alternately or interleav\$3) and train	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 13:59
S25	1	"7035232"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:20
S26	3	"6414969"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 14:20
S27	3	((@rlad<"200100130" or @ad<"20010130")and piconetwork and pll and (data adj burst)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:17
S28	617	((@rlad<"200100130" or @ad<"20010130")and pll and (data adj burst)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:18
S29	486	((@rlad<"200100130" or @ad<"20010130")and pll and (data adj burst)and digital	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:18
S30	486	((@rlad<"200100130" or @ad<"20010130")and pll and (data adj burst) and digital	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:18
S31	98	((@rlad<"200100130" or @ad<"20010130") and pll and (data adj burst) and digital and correlate	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:23
S32	92	((@rlad<"200100130" or @ad<"20010130") and oscillator and pll and (data adj burst) and correlate	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:26
S33	62	((@rlad<"200100130" or @ad<"20010130") and oscillator and pll and (data adj burst) and correlate and ((base or mobile or user) adj3 station)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2007/11/08 15:27
S34	423	((@rlad<"20010130" or @ad<"20010130") and pico \$net	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 17:53
S35	39	((@rlad<"20010130" or @ad<"20010130") and pico \$net and (data near5 burst)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 17:53
S36	0	((@rlad<"20010130" or @ad<"20010130") and pico \$net and (data near5 burst) and cac	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 17:54

S37	18	(@rlad<"20010130" or @ad<"20010130") and pico \$net and (data near5 burst) and carrier	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 17:54
S38	36	(@rlad<"20010130" or @ad<"20010130") and pico \$net and (data near5 burst) and access	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 18:00
S39	14	("20010003191"   "20020150145"   "20040095907"   "20040196784"   "5598417"   "5949776"   "6026297"   "6480505"   "6590928"   "6618377"   "6718533"   "6735448"   "6751200"   "6850965").FN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/19 18:50
S40	4	(@rlad<"20010130" or @ad<"20010130") and pico \$net and burst and (channel with (access near3 code))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 19:31
S41	2	"20030109228"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/19 19:49
S42	0	(@rlad<"20010130" or @ad<"20010130") and pico \$net and (data near5 burst) and access and 370/321.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/06/20 11:02
S43	224	(@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 09:21
S44	183	(@rlad<"200100130" or @ad<"20010130") and (pico adj2 (net network))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 09:22
S45	33	(@rlad<"200100130" or @ad<"20010130") and (pico adj2 (net network)) and (time adj2 slot)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 09:29
S46	46	(@rlad<"200100130" or @ad<"20010130") and (pico adj2 (net network)) and multiplex\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 09:48
S47	76	(@rlad<"200100130" or @ad<"20010130") and (pico adj2 (net network)) and multi \$7 near8 data	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 09:57
S48	0	(@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and (base adj statin)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 10:11

S49	92	((@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and (base adj station))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 10:11
S50	96	((@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and ((base mobile) adj station))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 10:11
S51	10	((@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and ((base mobile) adj station) and preamble	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 10:11
S52	19	((@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and ((base mobile) adj station) and multiplex\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/11/26 10:45
S53	2	("5119373"   "5369784").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/26 10:54
S54	2	("6785253").URPN.	USPAT	OR	ON	2008/11/26 10:54
S55	24	("6388997").URPN.	USPAT	OR	ON	2008/11/26 11:21
S56	17	("4736371"   "5303234"   "5883581"   "5912920"   "5953344"   "5970095"   "6151329"   "6285681"   "6381289"   "6388997"   "6463042"   "6463073"   "6507587"   "6622278"   "6804211"   "6810236"   "RE37494").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/26 11:29
S57	38	("6650871").URPN.	USPAT	OR	ON	2009/05/29 11:32
S58	0	((@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) same (burst with identification))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:02
S59	14	((@rlad<"200100130" or @ad<"20010130") and (pico near2 (net network)) with identification	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:02
S60	11	((@rlad<"200100130" or @ad<"20010130") and ((pico near2 (net network)) with identification) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:03

S61	2	((@riad<"200100130" or @ad<"20010130") and ((pico near2 (net network)) same (channel adj2 access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:17
S62	2	((@riad<"200100130" or @ad<"20010130") and ((pico near2 (net network)) and (channel adj2 access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:17
S63	43	((@riad<"200100130" or @ad<"20010130") and (bluetooth and (channel adj2 access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:18
S64	18	((@riad<"200100130" or @ad<"20010130") and (bluetooth with (channel adj2 access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:19
S65	5	((@riad<"200100130" or @ad<"20010130") and (bluetooth with (channel adj2 access adj2 code)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:19
S66	5	((@riad<"200100130" or @ad<"20010130") and (bluetooth same (channel adj2 access adj2 code)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:20
S67	5	((@riad<"200100130" or @ad<"20010130") and (bluetooth and (channel adj2 access adj2 code)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:20
S68	55	((@riad<"200100130" or @ad<"20010130") and (bluetooth and ((channel adj2 access adj2 code)or identification)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:20
S69	17	((@riad<"200100130" or @ad<"20010130") and (bluetooth with ((channel adj2 access adj2 code)or identification)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:20

S70	11	((@r!ad<"20010130" or @ad<"20010130") and (bluetooth with ((channel adj2 access adj2 code) or identification)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:23
S71	11	((@r!ad<"20010130" or @ad<"20010130") and (bluetooth with ((channel adj2 access adj2 code) or identification)) and (guard adj2 time) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:24
S72	16	((@r!ad<"20010130" or @ad<"20010130") and (bluetooth piconet) with ((channel adj2 access adj2 code) or identification)) and (guard and base	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:54
S73	78	((@r!ad<"20010130" or @ad<"20010130") and (bluetooth piconet) with ((channel adj2 access adj2 code) or identification or information) and guard and base	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:57
S74	63	((@r!ad<"20010130" or @ad<"20010130") and (bluetooth piconet) with ((channel adj2 access adj2 code) or identification or information) and guard and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 12:57
S75	15	("4780885"   "5428637"   "5483550"   "5519717"   "5564097"   "5619493"   "5638399"   "5774461"   "5774808"   "5781536"   "5844894"   "5862171"   "5926501"   "6292508"   "6400751").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/29 13:19
S76	15	("4780885"   "5428637"   "5483550"   "5519717"   "5564097"   "5619493"   "5638399"   "5774461"   "5774808"   "5781536"   "5844894"   "5862171"   "5926501"   "6292508"   "6400751").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/29 13:19

S77	15	("4780885"   "5428637"   "5483550"   "5519717"   "5564097"   "5619493"   "5638399"   "5774461"   "5774808"   "5781536"   "5844894"   "5862171"   "5926501"   "6292508"   "6400751").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/29 13:19
S78	15	("6400751").URPN.	USPAT	OR	ON	2009/05/29 13:22
S79	15	("6400751").URPN.	USPAT	OR	ON	2009/05/29 13:22
S80	4	("4558453"   "4677617"   "5079768"   "5121408").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/29 13:48
S81	22	("5428637").URPN.	USPAT	OR	ON	2009/05/29 13:49
S82	0	((@rlad<"20010130" or @ad<"20010130") and ((bluetooth piconet) with (overhead with reduc\$3)) and guard and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 13:57
S83	16	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) and (overhead with reduc\$3) and guard and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 13:57
S84	9	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) and ((start beginning) near3 transmission) and guard and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:02
S85	946	((@rlad<"200100130" or @ad<"20010130") and ((bluetooth piconet) and (access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:56
S86	117	((@rlad<"200100130" or @ad<"20010130") and ((bluetooth piconet) with (access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:56
S87	82	((@rlad<"200100130" or @ad<"20010130") and ((bluetooth piconet) near8 (access adj2 code)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:56



S88	0	((@rlad<"200100130" or @ad<"20010130") and ((bluetooth piconet) near8 (access adj2 code) with (start near8 transmission)) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:57
S89	1	((@rlad<"200100130" or @ad<"20010130") and ((bluetooth piconet) near8 (access adj2 code) with transmission) and base and mobile	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:58
S90	16	((@rlad<"200100130" or @ad<"20010130") and ((bluetooth piconet) with (access adj2 code)) and base and mobile and guard	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 14:59
S91	5	((@rlad<"20010130" or @ad<"20010130") and ((bluetooth piconet) with (access adj2 code)) and base and mobile and guard	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 15:02
S92	3	((@rlad<"20010130" or @ad<"20010130") and ((bluetooth piconet) with (access adj code)) with transmission	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 15:06
S93	7	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) same ((access adj code) near8 transmission)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 15:20
S94	51	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) same ((access adj code) near8 (data packet))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 15:30
S95	1	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) and ((access adj code) sync) with (multiple near6 data)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 15:56
S96	5	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) and ((access adj code) sync) same (multiple near6 data)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 15:57
S97	40	((@rlad<"20010130" or @ad<"20010130") and (bluetooth piconet) and ((access adj code) sync) with multiple	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/05/29 16:00

S98	3	((@riad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and (base adj station) and (cac (carrier adj access adj code)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 13:49
S99	23281	((@riad<"200100130" or @ad<"20010130") and (cac (carrier adj access adj code)))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 13:51
S100	2	((@riad<"200100130" or @ad<"20010130") and (cac (carrier adj access adj code)) and (pico adj3 network))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 13:52
S101	3	((@riad<"200100130" or @ad<"20010130") and (cac (channel adj access adj code)) and (pico adj3 network))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 13:55
S102	27	((@riad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) (identification adj info\$7)) and (pico adj3 network))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 13:58
S103	13	((@riad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and (base adj station) and (cac (channel adj access adj code)) (identification adj info\$7))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 13:59
S104	13	((@riad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and (base adj station) and (cac (channel adj access adj code)) (identification adj info\$7)) and ((base adj station) bs)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 14:00
S105	0	((@riad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and ((common adj info\$7) adj3 preced\$3 adj3 data) and ((base adj station) bs)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 14:19
S106	0	((@riad<"200100130" or @ad<"20010130") and (pico near2 (net network)) and ((common adj info\$7) with preced\$3 with data) and ((base adj station) bs)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 14:19
S107	1	((@riad<"200100130" or @ad<"20010130") and ((common adj info\$7) with preced\$3 with data))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 14:19

S108	6	((@rlad<"200100130" or @ad<"20010130") and ((common adj info\$7) same ((preced\$3 ahead) with data))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 14:21
S109	7	((@rlad<"200100130" or @ad<"20010130") and ((common adj info\$7) same ((preced\$3 ahead) with data))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:04
S110	7	((@rlad<"200100130" or @ad<"20010130") and ((common adj info\$7) same ((preced\$3 ahead (in adj front)) with data))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:04
S111	57	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) (common adj8 info\$7)) and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:10
S112	3	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) (common adj8 header)) and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:27
S113	0	((@rlad<"200100130" or @ad<"20010130") and (cac (channel adj access adj code)) and ((common adj8 header) with burst) and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:29
S114	0	((@rlad<"200100130" or @ad<"20010130") and ((common adj8 header) with burst) and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:29
S115	6	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) (common adj8 burst)) and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:29
S116	0	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) and (common adj8 burst)) and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:37
S117	0	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with header) and burst and (pico adj3 network)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:38
S118	36	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with header)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:38

S119	11	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with header) and burst	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:38
S120	0	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with header) and burst and pico	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:39
S121	90	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) and (common adj8 info\$7) and burst	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:40
S122	4	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with (common adj8 info\$7) and burst	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:40
S123	73	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with burst	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:44
S124	0	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with burst) and pico	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:44
S125	3	((@rlad<"200100130" or @ad<"20010130") and ((cac (channel adj access adj code)) with burst) and pico\$network	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:45
S126	0	((@rlad<"20010130" or @ad<"20010130") and ((cac (channel adj access adj code)) with burst) and pico\$network	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:46
S127	8	((@rlad<"20010130" or @ad<"20010130") and ((cac (channel adj access adj code)) with header)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2009/12/11 15:47

12/ 21/ 2009 7:30:02 PM

C:\Documents and Settings\schani1\My Documents\EAST\Workspaces\10629948 data trans system.wsp